


CATALOGUE



CONTENTS

ABOUT THE BRAND	3
CARGO SECURING	5
TOOLS AND ACCESSORIES	27
WORKSHOP EQUIPMENT	57
HEALTH AND SAFETY	73
TACHOGRAPH ACCESSORIES	89
TACHOGRAPH TESTING EQUIPMENT	97
SOLUTIONS FOR FLEETS	105



ABOUT THE




T E K S O N®

TEKSON is a brand established in 2012, specializing in modern solutions for the transport and logistics industry. From the very beginning, its mission has been to enhance safety, operational efficiency, and working comfort for professional drivers, fleet operators and transport companies.

The TEKSON portfolio includes a wide range of products and technologies designed for industry professionals – from tachograph accessories, protective gloves, transport straps, and workshop equipment, to advanced tools for technicians and comprehensive fleet support solutions. The brand also serves workshop specialists with equipment for installation, inspection, diagnostics, and repair of tachographs, as well as solutions for control authorities that improve road safety and ensure regulatory compliance.

TEKSON develops modern telematics systems that support fleet management at every stage of transport operations, helping companies optimize processes, reduce operational costs, maintain full operational control and increase road safety.

All products undergo strict quality control and meet internationally recognized certification standards, including TÜV SÜD.





CARGO SECURING


Safe and comfortable cargo transport is a priority for both companies and drivers. Inadequate securing can result in damage or destruction of the load and pose a risk to road users. TEKSON's dedicated products for safe transport include side rails, spreader bars, anti-slip mats and transport straps, which prevent the load from moving during transport. Thanks to professional security products, goods reach the customer in perfect condition.

We are a leader in the production of load securing equipment, and our products meet the high standards of European, TÜV SÜD and DEKRA.



CARGO LASHING STRAP WITH 500 daN ERGO RATCHET - COMPLETE SET

- Compliant with EN 12195-2
- TÜV GS certified
- STF 500 daN
- LC 2500 daN in tension, LC 5000 daN in webbing
- Strap width 50 mm
- Elongation 5%
- Polyester material



INDEX	LENGTH
181030	12 m
181020	10 m
181010	8 m
181000	6 m



CARGO LASHING STRAP WITH 350 daN RATCHET - COMPLETE SET

- Compliant with EN 12195-2
- TÜV GS certified
- STF 350 daN
- LC 2500 daN in tension, LC 5000 daN in webbing
- Strap width 50 mm
- Elongation 5%
- Polyester material



INDEX	LENGTH
180020	10 m
180010	8 m



CARGO LASHING STRAP WITH U-HOOK RATCHET - COMPLETE SET

- Compliant with EN 12195-2
- TÜV GS certified
- LC 2500 daN in tension, LC 5000 daN in webbing
- Strap width 50 mm
- Elongation 5%
- Polyester material




INDEX	LENGTH	STF
180015	8 m	350 daN
180016	10 m	350 daN
181015	8 m	500 daN
181016	10 m	500 daN



CARGO LASHING STRAP WITH DOUBLE J EYE-HOOK RATCHET - COMPLETE SET

- Compliant with EN 12195-2
- TÜV GS certified
- LC 2500 daN in tension, LC 5000 daN in webbing
- Strap width 50 mm
- Elongation 5%
- Polyester material



INDEX	LENGTH	STF
180024	8 m	350 daN
180025	10 m	350 daN
181024	8 m	500 daN
181025	10 m	500 daN



CARGO LASHING STRAP WITH 200 daN RATCHET - COMPLETE SET

- Compliant with EN 12195-2
- TÜV GS certified
- STF 200 daN
- LC 1000 daN in tension, LC 2000 daN in webbing
- Strap width 35 mm
- Elongation 5%
- Polyester material



INDEX	LENGTH
182002	5 m
182033	6 m



CARGO LASHING STRAP - ONE-PIECE

- Compliant with EN 12195-2
- TÜV GS certified
- LC 250 daN in webbing
- Strap width 25 mm
- Elongation 5%
- Polyester material



INDEX	LENGTH
182012	3 m
182013	5 m






3-POINT LOHR LASHING STRAP WITH SWIVEL HOOK

Easy-to-use ratchet straps, ideal for securely fastening most cars, quads and trailers during transport. Each strap is made of durable polyester in a highly visible colour.

- Green rubber-textile tube
- Three attachment points with swivel hook
- Compliant with VDI 8.1



INDEX	LENGTH	WIDTH	STF	STRENGTH
186091	2,5 m	50 mm	350 daN	4 t
186090	3,5 m	50 mm	350 daN	4 t
186088	3,5 m	35 mm	330 daN	3 t
186089	2,5 m	35 mm	330 daN	3 t
182100	2,8 m	35 mm	330 daN	3 t



CARGO LASHING STRAP WITH KRONE HOOK - COMPLETE SET

- Used for Krone semi-trailers
- Compliant with EN 12195-2
- TÜV GS certificate
- STF 500 daN
- LC 2500 daN in tension, LC 5000 daN in webbing
- Strap width 50 mm
- Elasticity 5%
- Polyester material




INDEX	LENGTH
182007	10 m
182025	8 m



CARGO LASHING STRAP WITH E-TRACK - COMPLETE SET

- Lashing straps equipped with E-track hooks for use with anchor rails in enclosed semi-trailers, containers, and refrigerated trucks
- Compliant with EN 12195-2
- TÜV GS certified
- STF 200 daN
- LC 1000 daN in tension, LC 2000 daN in webbing
- Strap width 50 mm
- Elongation 5%
- Polyester material




INDEX	LENGTH
182011	6 m
182010	4 m



WEBBING SLINGS

Webbing slings are mainly used for lifting, moving and securing loads, especially those with delicate surfaces or irregular shapes. They are widely used in industry, construction, logistics and transport, where safe and controlled handling of heavy objects is required.

- Compliant with EN1492-2
- TÜV GS certified
- Polyester material



INDEX	LENGTH	WIDTH	DOR	COLOUR
189000/1	1 m	30 mm	1 t	Purple
189000/2	2 m	30 mm	1 t	Purple
189000/3	3 m	30 mm	1 t	Purple
189000/4	4 m	30 mm	1 t	Purple
189000/5	5 m	30 mm	1 t	Purple
189000/6	6 m	30 mm	1 t	Purple



INDEX	LENGTH	WIDTH	DOR	COLOUR
189001/1	1 m	60 mm	2 t	Green
189001/2	2 m	60 mm	2 t	Green
189001/3	3 m	60 mm	2 t	Green
189001/4	4 m	60 mm	2 t	Green
189001/5	5 m	60 mm	2 t	Green
189001/6	6 m	60 mm	2 t	Green
189002/1	1 m	90 mm	3 t	Yellow
189002/2	2 m	90 mm	3 t	Yellow
189002/3	3 m	90 mm	3 t	Yellow
189002/4	4 m	90 mm	3 t	Yellow
189002/5	5 m	90 mm	3 t	Yellow
189002/6	6 m	90 mm	3 t	Yellow
189003/2	2 m	120 mm	4 t	Grey
189003/3	3 m	120 mm	4 t	Grey
189003/4	4 m	120 mm	4 t	Grey
189003/5	5 m	120 mm	4 t	Grey
189003/6	6 m	120 mm	4 t	Grey
189004/2	2 m	150 mm	5 t	Red
189004/3	3 m	150 mm	5 t	Red
189004/4	4 m	150 mm	5 t	Red
189004/5	5 m	150 mm	5 t	Red
189004/6	6 m	150 mm	5 t	Red
189005/2	2 m	180 mm	6 t	Brown
189005/3	3 m	180 mm	6 t	Brown
189005/4	4 m	180 mm	6 t	Brown
189005/5	5 m	180 mm	6 t	Brown
189005/6	6 m	180 mm	6 t	Brown
189006/3	3 m	240 mm	8 t	Blue
189006/4	4 m	240 mm	8 t	Blue
189006/5	5 m	240 mm	8 t	Blue
189006/6	6 m	240 mm	8 t	Blue
189007/3	3 m	300 mm	10 t	Orange
189007/4	4 m	300 mm	10 t	Orange
189007/5	5 m	300 mm	10 t	Orange
189007/6	6 m	300 mm	10 t	Orange



CORNER PROTECTORS

Protect the edges/corners of the load (e.g., boxes, pallets, cartons) from being crushed, cut, dented, or damaged by the pressure and tension of strapping tape (or straps).



184000



184002



184006



184005



184012

INDEX	PURPOSE	DIMENSIONS	MATERIAL
184000	For lashing straps	155x197 mm	Plastic
184002	For lashing straps	162x197 mm	Plastic
184005	For securing chains	150x95 mm	Metal and rubber
184006	For fastening plasterboards	118x200 mm	Metal
184012	For lashing straps	155x200 mm	Plastic





CARGO PLANKS

- Secure the goods against shifting and separate them from each other
- Used in tarpaulin semi-trailers, with the option of attaching and locking them to the sides



INDEX	PURPOSE	ADJUSTMENT RANGE
183006	Truck	2400-2700 mm
183007	LCV	2100-2400 mm



CARGO BARS

- Spreader bars used to secure cargo
- Most commonly used in containers, refrigerated trucks and closed, rigid bodies



INDEX	MATERIAL	CROSS-SECTION	ADJUSTMENT RANGE
183030	Steel	35x35 mm	1880-2852 mm
183011	Aluminium	38 mm	2350-2720 mm
183020	Steel	38 mm	2350-2720 mm
183010	Aluminium	42 mm	2350-2720 mm
183021	Steel	42 mm	2350-2720 mm
183012	Aluminium	42 mm	2565-2935 mm



M 1470 A2	0	0
black	0	0
2	0	


TEKSON


TEKSON®

2001

N.W.: 8.7 KGS

G.W.: 12.2 KGS

Measurement: 55.8 X 41.0 X 42.2 CM

nbH

lotta





DEKRA

Parting wall lock
Türscharnierverschluss
klocka na przelotowa

183000



Z1102

TEKSON



ANTI-SLIP MATS


- Prevent load slippage, enhance load stability, protect goods and surfaces, and effectively complement other securing methods
- Length 500 cm
- Width 25 cm
- Area 1,25 m²



INDEX	THICKNESS
185001	6 mm
185002	8 mm




CARGO NETS



185005
185006
185007
185008



185004



185003

INDEX	LENGTH	WIDTH	TAPE/EYE WIDTH	EYE
185004	0,9 m	0,9 m	25 mm	72x72 mm
185003	0,9 m	1,3 m	35 mm	160x220 mm
185005	1,5 m	2,7 m	3 mm	45x45 mm
185006	2,0 m	3,5 m	3 mm	45x45 mm
185007	2,5 m	4 m	3 mm	45x45 mm
185008	3,5 m	6 m	3 mm	45x45 mm





TOOLS AND ACCESSORIES

Reliable tools and practical accessories are essential for efficient work in any industry, not just transport. In this section, you will find a wide selection of products that will make your daily tasks easier, both on the road and in the workshop. Our tools and accessories are characterised by high quality and, above all, functionality, ensuring comfort and efficiency of use. With them, you will be prepared for any challenge.



LABOR-SAVING WRENCHES WITH 1:58 RATIO

- Used to unscrew wheels on lorries (do not use for tightening)
- Gear ratio 1:58, maximum torque 5200 Nm
- Made of high-quality alloy steel using a precise heat treatment process
- Supplied in a black TEKSON case, which contains:
 - labor-saving wrench
 - protective gloves
 - sockets



202042



202040



202041

INDEX	HANDLE TYPE	SOCKETS IN SET
202040	Short	32, 33 mm
202041	Short	21, 24, 27, 30, 32, 33, 38 mm
202042	Long	32, 33 mm



DOUBLE ENDED WHEEL SPANNERS

- Wrench for loosening nuts on heavy goods vehicles
- Comes with a pin for easier loosening
- Key length 395 mm
- Made of stainless steel
- Hexagonal on both sides



INDEX	SOCKET LENGTH
202003	19, 24 mm
202001	27, 30 mm
202004	30, 32 mm
202002	32, 33 mm






TEKSON®
23131E/202040



WHEEL PUMP HOSES

- Length 18 m
- With or without quick connector



208005



208004

INDEX	CONNECTION
208004	Without quick connector
208005	With quick connector



QUICK CONNECTOR SET

- A set of quick connectors that allows for quick, easy and tight connections
- 4 mm / 5 mm / 6 mm / 8 mm / 10 mm / 12 mm




INDEX	MATERIAL
202055	Plastic



CONTAINER LOCKS

- Security for cold store or container doors
- Made of stainless steel



INDEX	MATERIAL	ADJUSTMENT RANGE
204001	Stainless steel	256-342 mm
204002	Stainless steel, painted	225-340 mm
204003	Stainless steel, painted	230-425 mm



FUEL LOCK CAPS



204004



202005

INDEX	PURPOSE	DIAMETER
204004	Universal	80 mm
204005	SCANIA	60 mm



WHEEL CHOCK WITH BRACKET

- Load securing element
- Reduces the risk of the vehicle moving spontaneously
- Complies with DIN 76051-1
- Handle for the wedge available for purchase




INDEX	PRODUCT	LENGTH	WIDTH	HEIGHT
202010	Wheel chock	470 mm	200 mm	224 mm
202030	Bracket			



BLIND SPOT STICKERS

- Effective from 1 January 2021 in France, blind spot markings on heavy goods vehicles with a GVW > 3,5 t and buses
- Dimensions 25x17 cm
- Required sticker placement for a truck tractor with a semi-trailer: 2 on the side of the truck tractor, 2 on the side of the semi-trailer, 1 on the rear of the semi-trailer



INDEX	PURPOSE
207016	LCV
207017	Truck



UNIVERSAL AIR DUSTER GUN 10 kg/cm²

- A simple way to remove dust from hard-to-reach places in the cabin
- 5 m long spiral hose with a diameter of 6 mm
- Universal with a T-piece – can be used in any tractor
- Maximum pressure 10 kg/cm²



INDEX
202046



UNIVERSAL AIR DUSTER GUN 13 kg/cm²

- A simple way to remove dust from hard-to-reach places in the cabin
- 5 m long spiral hose with a diameter of 8 mm
- Universal with a T-piece – can be used in any tractor
- Maximum pressure 13 kg/cm²
- Choice of 3 nozzles



INDEX
202051
202052
202053



BRAND DEDICATED AIR DUSTER GUNS

- A simple way to remove dust from hard-to-reach places in the cabin
- 5 m long spiral hose with a diameter of 8 mm
- Maximum pressure 13 kg/cm²
- Features a bend-resistant flexible hose with a dedicated connector






202047

202048

202049

202050



INDEX	TYPE
202047	SCANIA
202048	MP4 / DAF XF106
202049	IVECO
202050	RENAULT



SPIRAL PNEUMATIC HOSES

- Red supplies air to the semi-trailer's pneumatic system
- Yellow is responsible for controlling the service brake
- Length 6 m
- Material FLEX PUR




INDEX	COLOUR	CONNECTION
208000	Yellow	M16
208001	Yellow	M22
208002	Red	M16
208003	Red	M22



LASHING STRAPS REEL

- Metal reel for transport strap, saving time when rolling up the strap
- The perfect tool not only for drivers, but also for shipping and warehouse workers




INDEX

182099



LOOSE NUT INDICATORS

- Increases safety
- Provides visual indication of loose bolts or nuts in tractors and semi-trailers
- Made of durable plastic resistant to weather and road conditions
- Resistant to frost, rain, snow and ultraviolet radiation
- Quantity per package: 20 pieces



INDEX	SIZE
207022	33 mm
207021	32 mm



WATER TANK

- Suitable for storing water at home, on camping trips, in workshops, and in the garden
- Top-mounted tap for controlled dispensing
- Blue colour
- Compact, stackable design for easy storage and transport



INDEX	CAPACITY
201090	10 l
201091	20 l



24 V ELECTRIC KETTLE WITH CAR PLUG

- Capacity 1 l
- Single-piece product – the base is integrated with the kettle
- The wide base allows the kettle to be easily stored, e.g. in a cupboard in a car or motorhome



INDEX

202021



TRIP CAMPING POT SET

- The pot and pan have orange folding handles
- All components are easy to store and take up minimal space
- The set includes:
 - 1,2 l kettle
 - 195x120 mm pot
 - 200x50 mm frying pan
 - cutlery set
 - carabiner
 - two cups



INDEX

202023





TEKSON[®]

UNLOCK
QUALIFIED
GAS
LOCK

OFF

ON



PORTABLE GAS CAMPING STOVE

- Compliant with EN 17476:2021+A1:2022
- Power 2,5 kW
- Operates using a cartridge
- Flame level adjustment
- Plastic case for storage and transport included



202094

202095



INDEX	BURNER TYPE
202094	Ceramic
202095	Steel



TEKSONG
BLACK
220007  EN388
 2021  
CAT II 4131%

**CABLE TIES**

- Material nylon 66
- Temperature range: -35°C to 85°C
- Flammability class UL 94 V2
- Quantity per package: 100 pieces
- Available in many sizes



INDEX	LENGTH	WIDTH	STRENGTH
209019	100 mm	2,5 mm	8 kg
209005	120 mm	4,8 mm	22 kg
209020	140 mm	3,6 mm	18 kg
209006	160 mm	4,8 mm	22 kg
209007	200 mm	3,6 mm	18 kg
209008	200 mm	4,8 mm	22 kg
209009	250 mm	3,6 mm	18 kg
209010	250 mm	4,8 mm	22 kg
209011	300 mm	3,6 mm	18 kg
209012	300 mm	4,8 mm	22 kg
209013	370 mm	3,6 mm	18 kg
209014	370 mm	4,8 mm	22 kg
209015	370 mm	7,6 mm	55 kg
209016	400 mm	4,8 mm	22 kg
209017	450 mm	7,6 mm	55 kg
209021	450 mm	8,0 mm	55 kg
209022	780 mm	9,0 mm	80 kg



BUNGEE CORDS

Designed for securing luggage and items in the boot, on a bicycle, in the cabin or in the garage.



INDEX	COLOUR	LENGTH
187000	Grey	75 cm
187001	Red	120 cm
187002	Black	150 cm



MICROFIBRE CLOTH

- Colour black
- Microfibre material
- Seamless finish
- Size 40x40 cm
- Weight 385 g/m²
- Cleans without the use of detergents
- Absorbs water perfectly
- Does not scratch surfaces
- Withstands many washing cycles
- Leaves no streaks or smears



INDEX
220050



FLASHLIGHTS

- Colour temperature 6500 K
- LED technology COB / SMD LED
- Battery 3,7 V Li-ion / Li-Polymer
- Rechargeable
- Operating temperature: -10°C to +40°C



209026



209024



209023



209025

INDEX	TYPE	LUMENS	RUNTIME	MODES/FEATURES
209023	LED Headlamp	300 lm	max. 5,5 h	Eco/high/sensor modes, motion sensor
209024	Pro Slimlight	800 lm	max. 9 h	Spotlight + 2 floodlight, magnet
209025	Penlight	300 lm	max. 5 h	2 light sources: top and side; magnet
209026	Workshop Lamp	1500 lm	max. 25 h	5 power levels, powerbank, magnet, stand




POWER INVERTER

- Peak power 600 VA
- Continuous power 300 W
- Battery voltage 12 V and 24 V
- Input voltage: 12 V (10,5–15,5 V) | 24 V (21–31 V)
- Output voltage 225–235 V
- 1 x USB charging port
- Suitable for powering devices such as laptops
- Power and operation LED indicators
- Overload protection
- Short-circuit protection
- Low battery alarm
- Low battery shutdown



INDEX
203000





WORKSHOP EQUIPMENT

Professional workshop equipment is the key to efficient and safe vehicle servicing. In this category, we present a range of products that will raise the standard of your workshop. Here you will find, among other things, workshop couches that are perfect for servicing work. Our products are efficient and effective, which translates into time savings and increased comfort at work.



FOLDABLE CAR CREEPER

- Ideal for automotive service centres, repair shops and private users
- Allows you to work comfortably under and around the car
- Easily folds into a comfortable seat
- Maximum load 135 kg
- 7 wheels
- Material steel + polyurethane + polypropylene



INDEX
209002



CAR CREEPER BOARD

- Supports work in automotive service centres
- Ergonomic, contoured shape that helps keep the spine in good condition
- Maximum load 155 kg
- Polyethylene material



INDEX
209001







WORKSHOP CHAIR WITH DRAWER

- Load capacity 135 kg
- Number of wheels 4
- Wheel diameter 2,5"
- Height 36 cm
- Width 38 cm
- Length 43 cm
- Material steel + polyurethane + polypropylene



INDEX

209018



WORKSHOP STOOL

- Swivel workshop stool on five wheels
- Seat height adjustable
- Shelf for accessories under the seat
- Height adjustment from 45 cm to 58 cm
- Load capacity 136 kg



INDEX
209089



HYDRAULIC LIFT

- Maximum load capacity 2000 kg
- 360° swivel castors
- Construction made of rolled steel sheet
- Minimum lifting height 125 mm
- Maximum lifting height 300 mm
- Drain valve integrated with safety valve



INDEX
209000

**O-RING SET**


- Black colour
- Material nitrile (NBR)
- Cross-section type: round
- Metric O-ring
- Resistance to extremely high temperatures 100-120°C
- Resistance to extremely low temperatures of -15°C



TYPE	SIZE		QTY.
	Diameter	Thickness	
R-01	3 mm	1,5 mm	20 pcs.
R-02	4,4 mm	2 mm	20 pcs.
R-03	5 mm	2 mm	18 pcs.
R-04	7 mm	1,5 mm	23 pcs.
R-05	10 mm	1,5 mm	23 pcs.
R-06	13 mm	1,5 mm	23 pcs.
R-07	10 mm	2,5 mm	14 pcs.
R-08	11 mm	2,5 mm	13 pcs.
R-09	13 mm	2,5 mm	14 pcs.
R-10	14 mm	2,5 mm	13 pcs.
R-11	16 mm	2,5 mm	14 pcs.
R-12	18 mm	2,5 mm	14 pcs.
R-13	19 mm	2,5 mm	13 pcs.
R-14	21 mm	2,5 mm	14 pcs.
R-15	22 mm	2,5 mm	13 pcs.
R-16	18 mm	3,5 mm	10 pcs.
R-17	20 mm	3,5 mm	10 pcs.
R-17	22 mm	3,5 mm	10 pcs.
R-19	23,5 mm	3,5 mm	10 pcs.
R-20	25 mm	3,5 mm	10 pcs.
R-21	26,5 mm	3,5 mm	10 pcs.
R-22	28 mm	3,5 mm	10 pcs.
R-23	30 mm	3,5 mm	10 pcs.
R-24	31 mm	3,5 mm	10 pcs.
R-25	33 mm	3,5 mm	10 pcs.
R-26	34,5 mm	3,5 mm	10 pcs.
R-27	36 mm	3,5 mm	10 pcs.
R-28	38 mm	3,5 mm	10 pcs.
R-29	41 mm	3,5 mm	10 pcs.
R-30	44 mm	3,5 mm	10 pcs.
R-31	47 mm	3,5 mm	10 pcs.
R-32	50 mm	3,5 mm	10 pcs.

INDEX

202007





MAGNETIC WRISTBAND

A convenient device for attracting and collecting screws and nails. Sturdy nylon straps comfortably fit any wrist size.



INDEX
202005





WORKSHOP AIR DUSTER GUN

- Nozzle length 20 mm
- Material aluminium
- Cable not included



INDEX
202006



TIRE INFLATION GUN WITH PRESSURE GAUGE

- For inflating tyres with integrated pressure measurement
- Working pressure PSI 0-116 (0-8 bar)
- Pressure gauge range PSI 0-170 (0-12 bar)
- Cable length 40 cm
- Rubber cover protecting the pressure gauge from breakage



INDEX
202056



STACKABLE CONTAINER

- Durable storage container with a wide range of applications
- Resistant to weather conditions and chemicals such as salts, acids, alkalis, greases and oils
- Handles in the form of holes. Containers can be stacked
- Eco-friendly container made from 100% recycled plastic
- Length 600 mm
- Width 400 mm
- Height 305 mm



INDEX
209090





HEALTH AND SAFETY

Health and safety at work is the foundation of responsible business. In this section, you will find essential health and safety products that will protect your employees in various conditions. We present products that meet applicable safety standards and regulations. By investing in appropriate personal protective equipment, you minimise the risk of accidents and take care of your team's health.



BLACK PROTECTIVE GLOVES

- Protective gloves made of polyester, coated with black polyurethane
- Finished with a cuff
- Seamless and highly flexible
- The gloves fit the shape of the hand perfectly
- The polyurethane structure ensures grip in both dry and wet environments
- Standards: EN ISO 21420:2020; CAT II; EN 388:2019 4131X



INDEX	SIZE
220005	7
220006	8
220007	9
220008	10
220009	11



BLACK PROTECTIVE GLOVES, BLISTER PACK

- Gloves in a blister pack with a Euro hanger, intended for display on a stand
- Protective gloves made of polyester, coated with black polyurethane
- Finished with a cuff
- Seamless and highly flexible
- The gloves fit the shape of the hand perfectly
- The polyurethane structure ensures grip in both dry and wet environments
- Standards: EN ISO 21420:2020; CAT II; EN 388:2019 4131X



INDEX	SIZE
220005B	7
220006B	8
220007B	9
220008B	10
220009B	11





BLUE PROTECTIVE GLOVES

- Protective gloves coated with blue rough latex up to half the length of the hand
- The glove has a thin polyester lining that fits snugly to the hand
- Elastic
- Finished with a soft ribbing
- Ideal for all types of mechanical work
- Standards: EN ISO 21420:2020; CAT II; EN 388:2019 3141X



INDEX	SIZE
220010	8
220011	9
220012	10



SOLID PROTECTIVE GLOVES

- Protective gloves, made of goat grain leather, American cut
- Upper part made of black jersey
- Grip section made of a single piece of leather, which makes them more durable and resistant to abrasion
- Very good dexterity and grip
- Standards: EN ISO 21420:2020; CAT II; EN 388:2019 2122X



INDEX	SIZE
220020	8
220018	9
220019	10
220021	11



PRACTICAL PROTECTIVE GLOVES

- Protective gloves, made of goat grain leather, American cut
- Outer layer made of elastic black jersey
- Grip section made of a single piece of leather, making them more durable and resistant to abrasion
- Very good dexterity and grip
- Each glove is finished with Velcro, so it always stays in place and fits perfectly on the hand
- EN ISO 21420:2020; CAT II; EN 388:2019 2122X



INDEX	SIZE
220024	8
220023	9
220022	10
220025	11



DURABLE PROTECTIVE GLOVES

- Full-finger protective gloves made of split cowhide
- Finished with a stiff rubberised cuff
- Grip area made of a single piece of leather for increased durability and abrasion resistance
- Anti-perspiration lining on the inside of the glove
- Standards: EN ISO 21420:2020; CAT II; EN 388:2019 4243X



INDEX	SIZE
220017	10




06/2020
CE
CAT 1
EN 388
DURABLE
TYPE
P
F
R
S
S
I



COMFORT PROTECTIVE GLOVES

- Short work gloves, known as driver gloves, made of grain goatskin leather for durability and comfort
- Elastic band on the back of the wrist for a better fit, and the cuff is finished with piping
- The gloves comply with the EN-388 standard, which confirms their mechanical resistance
- Designed for technicians, drivers and fitters
- Standards: EN ISO 21420:2020; CAT II; EN 388:2019 2122X



INDEX	SIZE
220053	9
220054	10



MASTER WELDING GLOVES

- Long gloves made of split cowhide leather provide excellent protection in harsh conditions
- Exceptionally resistant to high temperatures and hot metal splashes, thanks to their full-sole construction and thermal insert
- Feature covered Kevlar seams and reinforcement in the form of gussets
- Designed for MIG welding
- Standards: EN ISO 21420:2020; CAT II; EN 388:2019 3143X; EN 407:2020 412X4X; EN 12477:2001+A1:2005 TYPE A



INDEX	SIZE
220051	10



JEKSON
COMFORT
SIZE 9/L
EN 388:2019
CE
2122X

JEKSON
COMFORT
SIZE 9/L
EN 388:2019
2122X





PROWELD WELDING GLOVES

- Gloves made of goatskin leather (grip area) and cowhide leather (cuff)
- The traditional cut with a sewn-in thumb ensures a secure grip, allowing for complete control while working
- Sewn with durable Kevlar thread for increased damage resistance
- Protect hands and part of the forearm
- The gloves are designed for TIG welding
- Standards: EN ISO 21420:2020; CAT II; EN 388:2019 2122X; EN 407:2020 411X4X; EN 12477:2001+A1:2005 TYPE B



INDEX	SIZE
220052	10



POWDER-FREE NITRILE GLOVES

- Flexible and manual protective gloves made of nitrile rubber, textured on the fingers
- Do not contain natural latex
- Non-sterile and powder-free
- Fit both hands
- Water permeability test AQL ≤ 1,5
- 100 pieces per pack
- Standards: EN ISO 21420:2020; CAT III; EN ISO 374-1; EN ISO 374-5; EN ISO 374-2; EN ISO 374-4; EN 16523-1; EN ISO 21420; EN 455 3:2015



INDEX	COLOUR	SIZE
220043	Blue	S
220036	Blue	M
220035	Blue	L
220013	Blue	XL
220045	Black	S
220032	Black	M
220033	Black	L
220034	Black	XL





TACHOGRAPH ACCESSORIES

Proper handling and operation of tachographs are essential for compliance with transport regulations. In this category, you will find a wide range of accessories designed to support everyday tachograph use. Our offer includes paper rolls for digital tachographs, required for printing tachograph data. All accessories are high-quality and compatible with various tachograph models, ensuring reliable performance.



THERMAL PAPER

- Designed for digital tachographs
- The package contains 3 rolls
- Each roll is individually wrapped in foil
- One roll contains 8 metres of paper





INDEX

207001



TACHOGRAPH CHARTS

- Designed for analogue tachographs
- The package contains 100 pieces



INDEX	TYPE
207025	100 km/h
207002	125 km/h 3300
207003	125 km/h
207004	140 km/h
207005	180 km/h



3D TACHO

- A device designed to download data from driver cards and digital tachographs, including new cards and smart tachographs
- Ensures compliance with statutory requirements for data collection and archiving
- Can be used by transport companies and any authorities authorised to inspect these companies
- 8 GB internal memory
- Built-in card reader
- Damage-resistant casing
- Data collection progress notification visible on the device casing
- Battery powered, from tachograph or USB port



INDEX

207010



3D TACHO MOBILE

- Device designed to download data from driver and workshop cards and digital tachographs
- Designed for tachograph workshops, transport companies and inspection authorities
- Quick and efficient data download
- Possibility to transfer downloaded files to e-mail or fleet software
- Large, clear colour display
- IP69 water and dust protection
- MIL-STD-810H compliant
- High-capacity battery
- 64/32 GB internal memory
- USB-C smart card reader, tachograph data download cable, USB-C cable and charger included



INDEX

207070



CALIBRATION KIT 1381

Professional calibration kit for digital tachographs. Designed for use in authorised service stations and tachograph service centres. Enables correct calibration of the device in accordance with applicable standards and legal requirements.

The set includes:

- Protocol Workshop sticker – 2 pcs.
- Security sticker – 1 pc.
- TEKSON cleaning card – 1 pc.
- Digital tachograph cloth – 1 pc.
- Small red seal – 2 pcs.
- DTCO 3,6 V battery – 1 pc.
- TEKSON paper for digital tachograph – 1 pc.




INDEX

207007



TACHOGRAPH MAINTENANCE ACCESSORIES

CLEANING CARDS	207006 - STANDARD
<p>Various types of cleaning cards designed for regular cleaning of the driver card slot. They remove dust, dirt and deposits that may interfere with the proper functioning of the device. The use of cleaning cards helps to extend the life of the tachograph and ensures reliable data reading.</p>	
	<p>207019 - TYPE „T“</p> 
TACHOGRAPH CLEANING CLOTH	207098
<p>The cloth is designed for gentle but effective cleaning of tachograph surfaces, including displays and housings. It is made of soft, lintfree material that does not scratch or leave streaks.</p>	



TACHOGRAPH TESTER



TEKSON®

www.tekson.eu
tekson@tekson.eu



Function keys: F1, F2, F3, F4

Control buttons: C, START (green), STOP (red), OK (green)

Numeric keypad: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9

Other keys: MNO, PORS, GHI, WXYZ, SYMBOL, arrow keys



TACHOGRAPH TESTING EQUIPMENT

Essential and auxiliary equipment for tachograph workshops, inspection authorities, transport companies and training centres. This section includes specialised devices for the installation, testing, inspection and repair of analogue and digital tachographs, as well as equipment used to detect tampering in vehicles and for training purposes.



TT2010 TACHOGRAPH TESTER

TT2010 Tachograph Tester is used to perform installation, verification, inspection and reparation of analogue and digital tachographs, including smart tachographs, in accordance with the requirements of Regulation (EU) No 165/2014 of the European Parliament and of the Council of February 4, 2014.

Specification:

- Automatic recognition of digital tachograph type
- Possibility to set the parameters of universal tachographs by vehicle brand
- Possibility of checking the motion sensor, including measuring the current supply with a special measuring probe, in order to detect the most common manipulation attempts
- Possibility of performing a calibration and verification report on digital tachograph, DSRC module and motion sensor
- Printout of the digital tachograph installation plate on a label printer connected directly to the TT2010
- Possibility to update the device independently using the TT2010 service card
- High mechanical resistance sockets
- Energy saving options





INDEX	TT2010 SET
TT003WG	TT2010 set – digital tachographs
TT004WG	TT2010 set – digital and analogue tachographs without 1314
TT005WG	TT2010 set – digital, analogue and mechanical tachographs
TT006WG	TT2010 set – 2in1 – two devices (TT003WG + TT008WG)
TT007WG	TT2010 set – analogue tachographs without 1314
TT008WG	TT2010 set – analogue and mechanical tachographs

INDEX	DSRC EQUIPMENT
TT014WG	DSRC tripod with holders
TT015WG	DSRC SCR adapter
TT016	DSRC transceiver
TT373WG	TT2010/DTM2015 holder






DSRC REMOTE TACHOGRAPH MONITORING

Regulation (EU) No 165/2014 determines that the tachograph shall be equipped with a remote communication functionality that shall enable agents of the competent control authorities to read tachograph information from passing vehicles by using remote interrogation equipment (the Remote early detection communication reader REDCR), specifically, interrogation equipment connecting wirelessly using CEN 5.8 GHz Dedicated Short Range Communication (DSRC) interfaces. This functionality is intended to serve only as a pre-filter to select vehicles for a more thorough inspection.

TEKSON offers two variants of remote smart tachograph monitoring systems:

- DTM2015 Road Manipulation Tester set with DSRC antenna, designed for stationary or low-speed road inspections.
- DSRC Remote Tachograph Monitoring, designed for high-speed vehicle preselection, that can be installed on a road gantry, roadside pole, tripod or inspection vehicle.





- **DTM2015 MANIPULATION TESTER SET**

In the DTM2015 Manipulation Tester variant, the DSRC antenna/transceiver is mounted on a tripod together with the DTM2015 tester. The DSRC transceiver is used for stationary road inspections or when there is a low-speed difference between the antenna and the vehicle (e.g., road inspections with a speed-reducing sleeve). It can also be mounted on an inspection vehicle. The set is a mobile device with a high-capacity battery, allowing extended operation without recharging.

The set includes:

- DTM2015 Manipulation Tester
- DSRC antenna/transceiver
- 10 m signal/power cable
- DSRC SCR card reader with internal battery and mains power supply
- DSRC tripod with holders

INDEX	SET EQUIPMENT
TT010WG	DTM2015 Manipulation Tester
TT014WG	DSRC tripod with holders
TT015WG	DSRC SCR adapter
TT016	DSRC transceiver
TT373WG	TT2010/DTM2015 holder

- **PRESTACHO/PERFECT DRIVER SOFTWARE SOLUTION**

Remote Tachograph Monitoring System for smart tachograph, designed for high-speed preselection. It can be installed on the road gantry, roadside pole, tripod or inspection vehicle. The system uses a DSRC antenna adapted to read data from vehicles travelling at speeds of up to 200 km/h.

Data transmitted between the DSRC transceiver and the inspector's workstation is encrypted. Authorised users or inspectors access the system by logging into the PresTacho / Perfect Driver software using a second-generation control card.

INDEX	DSRC RTM SET
TT450WG	TEKSON DSRC RTM Visual set (including one camera)
TT471WG	TEKSON DSRC RTM HS set (without camera)
TT472CWG	TEKSON DSRC RTM RP set (including one camera)
TT472WG	TEKSON DSRC RTM RP set (without camera)
TT473WG	TEKSON DSRC RTM Light set (without camera)



TACHOGRAPH TRAINING STATION

Tachograph training station can be considered for trainings on tachographs for the targeted audience such as professional drivers, workshop technicians and for a tachograph operation simulation in a vehicle.

Specification:

- Simulation of vehicle speed, ignition and headlights
- Optional power supply for external devices, e.g. a tachograph tester, via external banana connectors
- Easy access to all tachograph outputs and the motion sensor
- Quick vehicle unit replacement with another tachograph, such as, different digital, SMART, 1324 or VR 2400
- Custom front panel with individual logo possible
- Compact dimensions and a durable, lightweight construction allow easy transportation in a sturdy case included in the set





Technical data:

- Power input: AC adaptor 230 V, 90 W
- Power output: 12 V or 24 V, 4 mm banana connector
- Dimensions: 35x24x21 cm
- Weight 3 kg, training station weight (without tachograph)
- Weight 4 kg, transport case weight

INDEX	TRAINING STATION SET
TT300WG	DTCO training station
TT301WG	MTCO training station
TT302WG	Training station without TCO
TT303WG	SE5000 training station
TT304WG	EFAS training station
TT305WG	DTCO 4.1 training station
TT306WG	SE5000-8.1 training station







SOLUTIONS FOR FLEETS


We have developed dedicated solutions for transport companies seeking to optimise and effectively manage their vehicle fleets. In this section, you will find a comprehensive range of products and services to help you streamline your daily operations and achieve better results. Our solutions are tailored to the specific needs of the transport industry, providing cost control, increased safety and improved overall efficiency for your business.



TEKSON FLEET SOLUTION

TEKSON Fleet Solution is a comprehensive solution for transport companies, which includes the following systems:


- TEKSON GPS – The system allows you to check the current position of your vehicle and display the route in real time with 24/7 access. We offer both simple and advanced devices with connection to the tachograph and CAN bus, with KAS accreditation for e-TOLL and SENT GEO.
- TEKSON TMS – The TMS system provides quick and easy access to information about the entire logistics chain. You can plan, monitor and execute transport. Thanks to TMS, you can ensure that orders are delivered on time and make full use of the available vehicle fleet, reducing empty runs and optimising cargo space.
- TEKSON DAS – An application for analysing drivers' working time, available in the following options:
 - For independent use
 - For independent use under the supervision of a guardian, with regular audits and consultations as required
 - Full outsourcing, with the option to view reports





TEKSON®

FLEET SOLUTION





SENT/RMPD/E-TOLL SERVICE+ DEDICATED FMB920 DEVICE

A comprehensive SENT/RMPD service with the FMB920 device, which ensures full control over the transport of sensitive goods and compliance with regulations. As part of the SENT/RMPD service, you receive:

- The FMB920 device with a built-in GPS and GSM module
- Access to the monitoring platform with a map and route history gps.tekson.eu
- Automatic data transmission to the SENT system
- Technical support in case of questions or problems

The FMB920 is an easy-to-install and easy-to-use GPS locator that enables precise real-time vehicle tracking. It has a built-in battery and a durable casing. The FMB920 is also a certified device for automatic e-TOLL road tolls. One locator for e-TOLL and SENT/RMPD saves space and costs.





TEKSON®

WHEELS AND CASTORS

– MOBILITY YOU CAN RELY ON –



- **Our wheels and castors combine innovative technology, robust materials and reliable construction.**
- **Smooth movement** – ball bearing castors guarantee quiet and easy operation.
- **Safety and stability** – we offer wheels with locks that are resistant to slipping and abrasion.
- **Versatility** – from castors for warehouse trolleys and office furniture to specialised industrial and medical wheels.

www.tekson.eu



OFFICIAL DISTRIBUTORS



GlobalRoadSystems BV	www.grs-shop.nl
GRS FRANCE	www.grsfrance.fr
LONTEX Group Sp. z o.o.	www.lontex.pl
LONTEX Group s.r.o.	www.lontex.cz
LONTEX TRUCK S.L.	www.lontex.es
MERKOL GmbH	www.merkol.de
MGF TACHO S.R.L.	www.mgftacho.it

www.tekson.eu